

Issuing Date: 1-Oct-2009

Revision Date: 5-Mar-2015

SDS Number: 9125

1. Identification of the Substance / Preparation and of the Company / Undertaking

| Product identifier | |
|---------------------------------------|---|
| Product Name | RAIN-X All Season Bug Remover 0 degree |
| Stock Numbers | 113625; 113625-2; 113626; 113627; 113621 / 5061320 |
| Other means of identification | |
| Synonyms | None |
| Recommended use of the chemica | and restrictions on use |
| Recommended Use | Windshield Wiper Fluid |
| Uses advised against | No information available |
| Details of the supplier of the safety | data sheet |
| Supplier Name Supplier Address | Highline Aftermarket 4500 Malone Road Memphis, TN 38118 US |
| Supplier Phone Number | Phone: (901) 775-5555 sds@highlineaftermarket.com |
| Emergency Telephone Number | CHEMTREC: (800) 424-9300 |

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Category 4 |
|--|------------|
| Acute toxicity - Dermal | Category 4 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Specific target organ toxicity (single exposure) | Category 1 |
| Flammable liquids | Category 3 |

Page **1** of **15**

h



Revision Date: 5-Mar-2015 SDS Number: 9125 Issuing Date: 1-Oct-2009 GHS Label elements, including precautionary statements **Emergency Overview** Signal Word Danger Hazard Statement: Harmful if swallowed Harmful if contact with skin Harmful if inhaled Causes damage to organs Flammable liquid and vapor Appearance Orange Physical State Liquid Odor Mild Alcohol

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use only non-sparking tools Take precautionary measures against static discharge

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Skin

Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Page **2** of **15**



Issuing Date: 1-Oct-2009

Revision Date: 5-Mar-2015

SDS Number: 9125

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

<u>Unknown Toxicity</u> 0.7% of the mixture consists of ingredient(s) of unknown toxicity

Other information

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. Composition / Information on Ingredients

| Chemical Name | CAS No | Weight-% | Trade Secret |
|----------------|---|--|--------------------|
| Methyl alcohol | 67-56-1 | 10 - 30 | * |
| | and and the share of the second se | والمتعاركة والمتعادية والمتعارك والم | a tua da la alemat |

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. First Aid Measures

First aid measures General Advice Show this safety data sheet to the doctor in attendance. Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. If symptoms persist, call a physician.



| Issuing Date: 1-Oct-2009 | Revision Date: 5-Mar-2015 | SDS Number: 9125 | |
|--|---|--------------------------|--|
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. | | |
| Inhalation | Remove to fresh air. If breathing is difficult, (tra oxygen. If not breathing, give artificial respiration with skin. Use barrier to give mouth-mouth res | on. Avoid direct contact | |
| Ingestion | Do NOT induce vomiting. Rinse mouth immedia water. Never give anything by mouth to an unce physician. | | |
| Self-protection of the first aider | Ensure that medical personnel are aware of the precautions to protect themselves and prevent Avoid direct contact with skin. Use barrier to gir resuscitation. | spread of contamination. | |
| Most important symptoms a | nd effects, both acute and delayed | | |
| Most Important Symptoms and Effects | Coughing and/ or wheezing. Difficulty in breath | ing. | |
| Indication of any immediate | medical attention and special treatment need | ed | |
| Notes to Physician | Ethanol may inhibit methanol metabolism. | | |
| | | | |
| | 5. Fire-fighting Measures |)— (| |
| Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. Unsuitable extinguishing media CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient. Specific Hazards Arising from the Chemical Vapors can form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard. | | | |
| Uniform Fire Code | Toxic: Liquid Combustible Liquid: II | | |

Hazardous Combustion Products

Carbon oxides.

Page **4** of **15**

}



| ssuing Date: 1-Oct-2009 | Revision Date: 5-Mar-2015 | SDS Number: 9125 |
|--|--|---|
| <u>Explosion Data</u> Sensitivity to Mechanical Impa | act No. | |
| Sensitivity to Static Discharge | Yes. | |
| Protective equipment and pred As in any fire, wear self-containe full protective gear. | cautions for firefighters ad breathing apparatus pressure-demand, MSHA/NIO | SH (approved or equivalent) and |
| | 6. Accidental Release Measures | |
| Personal precautions, protecti | ve equipment and emergency procedures | |
| Personal Precautions | ELIMINATE all ignition sources (no smoking, flare immediate area) All equipment used when handli grounded. Do not touch or walk through spilled m vapor protective clothing should be worn for spills breathe vapor or mist. | ng the product must be aterial. Full encapsulating, |
| Other Information | Water spray may reduce vapor; but may not preve | ent ignition in closed spaces. |
| Environmental Precautions | | |
| Environmental Precautions | Prevent entry into waterways, sewers, basements | or confined areas. |
| Methods and material for cont | ainment and cleaning up | |
| Methods for Containment | Stop leak if you can do it without risk. A vapor sup reduce vapors. Absorb with earth, sand or other r transfer to containers for later disposal. | |
| Methods for cleaning up | Use clean non-sparking tools to collect absorbed spill for later disposal. Soak up with inert absorber properly labeled containers. | |
| | | |
| | | |
| | | |

ł



| | Issuing Date: 1-Oct-2009 | Revision Date: 5-Mar-2015 | SDS Number: 9125 |
|----|--------------------------------|---|--|
| -(| | 7. Handling and Storage |)— |
| | Precautions for safe handling | 1 | |
| | Handling | Use personal protection equipment. Ensure adequate version, eyes or clothing. Avoid breathing vapors or mists. ventilation, wear suitable respiratory equipment. Keep a flames/hot surfaces. No smoking. Use grounding and be transferring this material to prevent static discharge, fire tools and explosion-proof equipment. | In case of insufficient way from heat/sparks/open onding connection when |
| | Conditions for safe storage, i | ncluding any incompatibilities | |
| | Storage | Keep in properly labeled containers. Keep containers tig well-ventilated place. Keep out of the reach of children. flame and other sources of ignition (i.e., pilot lights, elect electricity). Protect from moisture. Store away from othe combustible materials. | Keep away from heat, sparks, ric motors and static |
| | Incompatible Products | None known based on information supplied. | |

8. Exposure Controls / Personal Protection

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------|--------------------------------------|--|--|
| Methyl alcohol 67-56-1 | STEL = 250 ppm TWA: 200 ppm S* | TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) S* | IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 325 mg/m ³ STEL: 250 ppm |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

ŀ

Appropriate engineering controls



| Issuing Date: 1-Oct-2009 | Revision Date: 5-Mar-2015 | SDS Number: 9125 |
|-------------------------------|---|---|
| Engineering Measures | Showers Eyewash stations Ventilation systems | |
| Individual protection measure | s, such as personal protective equipment | |
| Eye/Face Protection | Tight sealing safety goggles. If splashes are likely to | o occur. Face protection shield. |
| Skin and Body Protection | Impervious gloves. Impervious clothing. Chemical | resistant apron. Antistatic boots. |
| Respiratory Protection | No protective equipment is needed under normal us are exceeded or irritation is experienced, ventilation required. | |
| Hygiene Measures | Handle in accordance with good industrial hygiene a eat, drink or smoke when using this product. Keep animal feeding stuffs. Avoid contact with skin, eyes before breaks and immediately after handling the pro- contaminated clothing and wash before reuse. Cont should not be allowed out of the workplace. Regula work area, and clothing is recommended. | away from food, drink, and or clothing. Wash hands oduct. Take off taminated work clothing |

9. Physical and Chemical Properties

Physical and Chemical Properties

| Physical State Appearance | Liquid Liquid | Odor | Mild Alcohol |
|--|----------------------------|----------------|--------------------------|
| Color | Orange | Odor Threshold | No information available |
| Property_ | <u>Values</u> | Remarks Method | <u>1</u> |
| рН | 7 | None known | |
| Melting / freezing point | No data available | None known | |
| Boiling point / boiling range | 88 °C / 190 °F | None known | |
| Flash Point | 43 °C / 109 °F | None known | |
| Evaporation Rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limit in Air | | | |
| Upper flammability limit | No data available | | |
| Lower flammability limit | No data available | | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |
| Specific Gravity | No data available | None known | |
| Water Solubility | Miscible in water | None known | |
| Solubility in other solvents | No data available | None known | |
| Partition coefficient: n-octanol/water | No data available | None known | |
| Autoignition temperature | No data available | None known | |
| | | | |
| | Page 7 of 15 | J | |





| Issuing Date: 1-Oct-2009 | Revision Date: 5-M | lar-2015 | SDS Number: 9125 |
|--|---|--|------------------|
| Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing Properties <u>Other Information</u> | No data available No data available No data available No data available No data available | None known None known None known | |
| Softening Point VOC Content (%) Particle Size Particle Size Distribution | No data available No data available No data available | | |
| - | 10. Stability and Read | ctivity |)—) |
| ReactivityNo data available.Chemical stabilityStable under recommended storPossibility of Hazardous ReaccNone under normal processing.Hazardous PolymerizationHazardous polymerization doesConditions to avoidExcessive heat. Heat, flames anIncompatible materialsNone known based on informationHazardous Decomposition ProcessionCarbon oxides. | tions not occur. d sparks. on supplied. | | |
| -(| 11. Toxicological Infor | mation |) |
| Information on likely routes of | exposure | | |
| Product Information | | | |
| Inhalation | Specific test data for the substan inhalation. (Based on componen | | able. Harmful by |
| Eye Contact | Specific test data for the substan | ce or mixture is not avail | able. |
| | Page 8 of 15 | } | |



| Issuing Date: 1-Oct-2009 | Revision Date: 5-Mar-2015 | SDS Number: 9125 |
|--------------------------|--|-----------------------|
| Skin Contact | Specific test data for the substance or mixture is not a absorbed through the skin in harmful amounts. Harm (Based on components). | • |
| Ingestion | Specific test data for the substance or mixture is not a swallowed. (Based on components). | available. Harmful if |
| | | |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------------|--------------------|-------------|----------------------|
| Methyl alcohol 67-56-1 | = 5628 mg/kg (Rat) | - | = 83.2 mg/L (Rat)4 h |

Information on toxicological effects

| Symptoms | Coughing and/ or wheezing. May cause blindness. | | | | |
|--|---|--|--|--|--|
| Delayed and immediate effects as well as chronic effects from short and long-term exposure | | | | | |
| Sensitization | No information available. | | | | |
| Mutagenic Effects | No information available. | | | | |
| Carcinogenicity | Contains no ingredient listed as a carcinogen. | | | | |
| Reproductive Toxicity | No information available. | | | | |
| STOT - single exposure | Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. Detailed substance and/or ingredient information may be provided in other sections of this SDS. Target organs effects listed in this document may result from a single overexposure to this product. Causes damage to organs if swallowed. Causes damage to organs in contact with skin. Causes damage to organs if inhaled. | | | | |
| STOT - repeated exposure | No information available. | | | | |
| Chronic Toxicity | Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Inhalation, ingestion, or skin absorption of methanol can cause blindness. | | | | |
| Target Organ Effects | Respiratory system. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Skin. Systemic Toxicity. | | | | |
| Aspiration Hazard | No information available. | | | | |
| Numerical measures of toxicity | Product Information | | | | |

Page **9** of **15**



Issuing Date: 1-Oct-2009

Revision Date: 5-Mar-2015

SDS Number: 9125

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust/mist) 370.00 mg/kg 1,111.00 mg/kg (ATE) 1.86 mg/l

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|----------------|-------------------|---------------------------|-------------------------------|-------------------------------|
| Methyl alcohol | | 96h LC50: = 28200 mg/L | EC50 = 39000 mg/L | |
| 67-56-1 | | (Pimephales promelas) 96h | 25 min | |
| | | LC50: > 100 mg/L | EC50 = 40000 mg/L | |
| | | (Pimephales promelas) 96h | 15 min | |
| | | LC50: 19500 - 20700 mg/L | EC50 = 43000 mg/L | |
| | | (Oncorhynchus mykiss) 96h | 5 min | |
| | | LC50: 18 - 20 mL/L | | |
| | | (Oncorhynchus mykiss) 96h | | |
| | | LC50: 13500 - 17600 mg/L | | |
| | | (Lepomis macrochirus) | | |

Persistence and Degradability

No information available.

Bioaccumulation

| Chemical Name | Log Pow |
|----------------|---------|
| Methyl alcohol | -0.77 |
| 67-56-1 | |

Other adverse effects

No information available.

Page **10** of **15**

h



| | 13. Dis | sposal Co | onsiderations | |
|--|---|-------------------------|----------------------------------|------------------------|
| Waste treatment methods | 5 | | | |
| Disposal methods | This materia regulations (| | d, is a hazardous waste ad). | ccording to federal |
| Contaminated Packaging | Dispose of c | ontents/cont | ainers in accordance with | local regulations. |
| US EPA Waste Number | D001 | | | |
| Chemical Name R | CRA RCRA - Basi | s for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
| Methyl alcohol 67-56-1 | Included in w F0 | aste stream: | | U154 |
| This product contains one c Chemical N | lame | nat are listed | California Hazardou | |
| Methyl alco 67-56-1 | | | Toxic Ignitable | |
| | 14. T | ransport | Information | |
| | 14. T | ransport | Information | |
| DOT Proper Shipping Name | | | | |
| Proper Shipping Name | WINDSHIEL | | | |
| Proper Shipping Name Hazard Class | WINDSHIEL ORM-D | DWASHER | FLUID | OLUTION |
| Proper Shipping Name | WINDSHIEL ORM-D COMBUSTIE | DWASHER | | OLUTION |
| Proper Shipping Name Hazard Class Description Emergency Response Gu Number TDG | WINDSHIEL ORM-D COMBUSTIE iide 131 | DWASHER | FLUID | OLUTION |
| Proper Shipping Name Hazard Class Description Emergency Response Gu Number | WINDSHIEL ORM-D COMBUSTIE | D WASHER BLE LIQUID, | FLUID | OLUTION |
| Proper Shipping Name Hazard Class Description Emergency Response Gu Number <u>TDG</u> UN-No. Proper Shipping Name Hazard Class | WINDSHIEL ORM-D COMBUSTIE Iide 131 UN1230 METHANOL 3 | D WASHER BLE LIQUID, | FLUID | OLUTION |
| Proper Shipping Name Hazard Class Description Emergency Response Gu Number TDG UN-No. Proper Shipping Name Hazard Class Subsidiary Class | WINDSHIEL ORM-D COMBUSTIE iide 131 UN1230 METHANOL 3 6.1 | D WASHER BLE LIQUID, | FLUID | OLUTION |
| Proper Shipping Name Hazard Class Description Emergency Response Gu Number <u>TDG</u> UN-No. Proper Shipping Name Hazard Class | WINDSHIEL ORM-D COMBUSTIE Iide 131 UN1230 METHANOL 3 | D WASHER BLE LIQUID, | FLUID AQUEOUS ALCOHOL S | OLUTION |
| Proper Shipping Name Hazard Class Description Emergency Response Gu Number TDG UN-No. Proper Shipping Name Hazard Class Subsidiary Class Packing Group Description | WINDSHIEL ORM-D COMBUSTIE iide 131 UN1230 METHANOL 3 6.1 II UN1230, ME | D WASHER BLE LIQUID, | FLUID AQUEOUS ALCOHOL S | OLUTION |
| Proper Shipping Name Hazard Class Description Emergency Response Gu Number TDG UN-No. Proper Shipping Name Hazard Class Subsidiary Class Packing Group Description MEX UN-No. | WINDSHIEL ORM-D COMBUSTIE iide 131 UN1230 METHANOL 3 6.1 II UN1230, ME UN1230 | D WASHER BLE LIQUID, | FLUID AQUEOUS ALCOHOL S | OLUTION |
| Proper Shipping Name Hazard Class Description Emergency Response Gu Number TDG UN-No. Proper Shipping Name Hazard Class Subsidiary Class Packing Group Description MEX UN-No. Proper Shipping Name | WINDSHIEL ORM-D COMBUSTIE iide 131 UN1230 METHANOL 3 6.1 II UN1230, ME | D WASHER BLE LIQUID, | FLUID AQUEOUS ALCOHOL S | OLUTION |
| Proper Shipping Name Hazard Class Description Emergency Response Gu Number TDG UN-No. Proper Shipping Name Hazard Class Subsidiary Class Packing Group Description MEX UN-No. Proper Shipping Name | WINDSHIEL ORM-D COMBUSTIE iide 131 UN1230 METHANOL 3 6.1 II UN1230, ME UN1230 METHANOL | D WASHER BLE LIQUID, | FLUID AQUEOUS ALCOHOL S | OLUTION |



| Issuing Date: 1-Oct-2009 | Revision Date: 5-Mar-2015 | SDS Number: 9125 |
|-----------------------------------|--|------------------|
| Packing Group | 11 | |
| Description | UN1230, METHANOL, 3 (6/1), II | |
| | | |
| UN-No. | UN1230 | |
| Proper Shipping Name | METHANOL | |
| Hazard Class | 3 | |
| Subsidiary Class Packing Group | 6.1 II | |
| Description | UN1230, METHANOL, 3 (6/1), II | |
| - | UN1230, WE THANOL, 3 (0,1), II | |
| IATAUN-No. | UN1230 | |
| Proper Shipping Name | METHANOL | |
| Hazard Class | 3 | |
| Subsidiary Class | 6.1 | |
| Packing Group | ll | |
| Description | UN1230, METHANOL, 3 (6/1), II | |
| IMDG/IMO | | |
| UN-No. | UN1230 | |
| Proper Shipping Name | METHANOL | |
| Hazard Class | 3 | |
| Subsidiary Class | 6.1 | |
| Packing Group EmS-No. | | |
| Description | F-E, S-D UN1230, METHANOL, 3 (6.1), II (43 °C C.C.) | |
| - | UN1230, WETHANOL, $3(0.1)$, $H(+3 = 0.0.5)$ | |
| <u>RID</u> UN-No. | UN12130 | |
| Proper Shipping Name | METHANOL | |
| Hazard Class | 3 | |
| Packing Group | II | |
| Classification code | FT1 | |
| Description | UN1230, METHANOL, 3 (6/1), II | |
| ADR/RID- Labels | 6.1 | |
| ADR | | |
| UN-No. | UN1230 | |
| Proper Shipping Name | METHANOL | |
| Hazard Class | 3 | |
| Packing Group | II | |
| Classification code | FT1 | |
| Tunnel Restriction code | (D/E) | |
| Description | UN1230, METHANOL, 3 (6/1), II | |
| ADR/RID- Labels | 6.1 | |
| | | |
| | | |

F



Issuing Date: 1-Oct-2009

Revision Date: 5-Mar-2015

SDS Number: 9125

ADN

| ADIN | |
|----------------------|-------------------------------|
| UN-No. | UN1230 |
| Proper Shipping Name | METHANOL |
| Hazard Class | 3 |
| Packing Group | II |
| Classification code | FT1 |
| Special Provisions | 279, 802 |
| Description | UN1230, METHANOL, 3 (6.1), II |
| Hazard Labels | 6.1 |
| Limited Quantity | 1 L |
| Ventilation | VE01, VE02 |
| | |

15. Regulatory Information

International Inventories

| TSCA | Complies |
|-------|--|
| DSL | All components are listed either on the DSL or NDSL. |
| IECSC | - |

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS No. | Weight - % | SARA 313 – Threshold Values % |
|--------------------------|---------|------------|----------------------------------|
| Methyl alcohol - 67-56-1 | 67-56-1 | 10 - 30 | 1.0 |

SARA 311/312 Hazard Categories

| Acute Health Hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | Yes |
| Fire Hazard | Yes |
| Sudden release of pressure hazard | No |

h



Issuing Date: 1-Oct-2009

Revision Date: 5-Mar-2015

SDS Number: 9125

Reactive Hazard

No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|---------------------------|--------------------------|---------------------------------------|--|
| Methyl alcohol 67-56-1 | 5000 lb | | RQ= 2270 kg final RQ RQ= 5000 lb final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical Name | California Proposition 65 |
|--------------------------|---------------------------|
| Methyl alcohol - 67-56-1 | Developmental |

US State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|---------------------------|------------|---------------|--------------|--------------|----------|
| Methyl alcohol 67-56-1 | Х | Х | Х | Х | Х |

International Regulations

Mexico

National occupational exposure limits

| Component | Carcinogen Status | Exposure Limits |
|-----------------------------------|-------------------|--|
| Methyl alcohol 67-56-1 (10-30) | | Mexico: TWA= 200 ppm Mexico: TWA= 260 mg/m ³ |
| | | Mexico: STEL= 250 ppm Mexico: STEL= 310 mg/m ³ |

Mexico - Occupational Exposure Limits - Carcinogens



| Issuing Date: 1-0 | Oct-2009 | Revision Date: 5-Mar-2015 | SDS Number: 9125 |
|--|--|---|---|
| Canada WHMIS Hazard C B3 - Combustible I D2B - Toxic mater | liquid | | |
| | 1 | 6. Other Information |) |
| | | | |
| | | | |
| NFPA | Health Hazards 3 | Flammability 2 Instabil | |
| NFPA HMIS | Health Hazards 3 Health Hazards 3 * | | lity 0 Physical and Chemical Hazards - al Hazard 0 0Personal Protection X |
| | | | Chemical Hazards - al Hazard 0 0Personal Protection |
| HMIS | Health Hazards 3* | | Chemical Hazards - al Hazard 0 0Personal Protection |
| HMIS Prepared By: Disclaimer The information pr the date of its publ storage, transporta information relates | Health Hazards 3* Randy Boitz rovided in this Safety Data S lication. The information giv ation, disposal and release a s only to the specific materia | | Chemical Hazards - al Hazard 0 OPersonal Protection X wledge, information and belief at safe handling, use, processing, y or quality specification. The r such material used in |
| HMIS Prepared By: Disclaimer The information pr the date of its publ storage, transporta information relates | Health Hazards 3* Randy Boitz rovided in this Safety Data S lication. The information giv ation, disposal and release a s only to the specific materia any other materials or in any | Flammability 2 Physical Sheet is correct to the best of our know ven is designed only as guidance for s and is not to be considered a warranty al designated and may not be valid for | Chemical Hazards - al Hazard 0 OPersonal Protection X wledge, information and belief at safe handling, use, processing, y or quality specification. The r such material used in |