

Issuing Date: 1-Jun-2008

Revision Date: 27-Mar-2015

SDS Number: 9132

1. Identification of the Substance / Preparation and of the Company / Undertaking

Product identifier	
Product Name	RAIN-X Deicer -25 degree Windshield Washer Fluid
Stock / Part Numbers	113655; 113655-4; 113651 / 68106
Other means of identification	
Synonyms	None
Recommended use of the chemica	l and restrictions on use
Recommended Use	Windshield Wiper Fluid
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name Supplier Address	Highline Aftermarket 4500 Malone Road Memphis, TN 38118 US
Supplier Phone Number	Phone: (901) 775-5555 sds@highlineaftermarket.com
Emergency Telephone Number	CHEMTREC: (800) 424-9300

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 3

ŀ



Revision Date: 27-Mar-2015 SDS Number: 9132 Issuing Date: 1-Jun-2008 GHS Label elements, including precautionary statements **Emergency Overview** Signal Word Danger Hazard Statement: Harmful if swallowed Toxic if contact with skin Toxic if inhaled Causes damage to organs Flammable liquid and vapor Appearance Orange Physical State Liquid Odor Mild Alcohol

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

Skin

Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth



Issuing Date: 1-Jun-2008

Safety Data Sheet

SDS Number: 9132

Fire In case of fire: Use CO2, dry chemical, or foam for extinction
Precautionary Statements - Storage Store locked up Store in a well-ventilated place. Keep container tightly closed
Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant
Hazards not otherwise classified (HNOC)
Not applicable
Unknown Toxicity 0.1% of the mixture consists of ingredient(s) of unknown toxicity
Other information
PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION
Interactions with Other Chemicals Use of alcoholic beverages may enhance toxic effects.
3. Composition / Information on Ingredients

Revision Date: 27-Mar-2015

Chemical Name	CAS No	Weight-%	Trade Secret
Methyl alcohol	67-56-1	30 - 50	*
*The exact percentage (concentration) of composition has been withhold as a trade secret			

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. First Aid Measures

First aid measures	
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice. Remove contact lenses, if present and easy to do. Continue rinsing.
	Page 3 of 15



ls	suing Date: 1-Jun-2008	Revision Date: 27-Mar-2015	SDS Number: 9132
SI	kin Contact	Immediate medical attention is required. Wash off immedia plenty of water while removing all contaminated clothes and	
In	halation	Remove to fresh air. If not breathing, give artificial respiration difficult, (trained personnel should) give oxygen.	on. If breathing is
In	gestion	Do NOT induce vomiting. Rinse mouth immediately and drive Never give anything by mouth to an unconscious person. Constrol center immediately.	
	elf-protection of the rst aider	Ensure that medical personnel are aware of the material(s) precautions to protect themselves and prevent spread of co	
M	lost important sympto	oms and effects, both acute and delayed	
	lost Important ymptoms and Effects	Coughing and/ or wheezing. Difficulty in breathing.	
<u>In</u>	dication of any imme	diate medical attention and special treatment needed	
N	otes to Physician	Treat symptomatically.	
-		5. Fire-fighting Measures)—
	<u>uitable Extinguishing M</u> ry chemical, CO2, water s		streams.
Dr Ui	ry chemical, CO2, water s	edia spray or regular foam. Use water spray or fog; do not use straight s	
Di Ui C/ Si	ry chemical, CO2, water s	edia spray or regular foam. Use water spray or fog; do not use straight s media cts have a very low flash point. Use of water spray when fighting fin from the Chemical	
Dī U I Ci Sī Sī	ry chemical, CO2, water s nsuitable extinguishing AUTION: All these produc pecific Hazards Arising	edia spray or regular foam. Use water spray or fog; do not use straight s media cts have a very low flash point. Use of water spray when fighting fin from the Chemical	
D D C S S C J T T T	ry chemical, CO2, water s nsuitable extinguishing AUTION: All these produc pecific Hazards Arising ome may be transported	edia spray or regular foam. Use water spray or fog; do not use straight s media cts have a very low flash point. Use of water spray when fighting fin from the Chemical hot. Flammable Liquid: I-C	
ັ <u>ວ</u> ເບິ ສີສິ ອີ <u>ມ</u> ີເບິ ຍິສິ	ry chemical, CO2, water s nsuitable extinguishing AUTION: All these produc pecific Hazards Arising ome may be transported i niform Fire Code azardous Combustion F	edia spray or regular foam. Use water spray or fog; do not use straight s <u>media</u> cts have a very low flash point. Use of water spray when fighting fin <u>from the Chemical</u> hot. Flammable Liquid: I-C <u>Products</u>	
ັ <u>ນ</u> ເດີ ນ ເດີ ນ ນ ນ ນ ນ ນ ນ ນ ນ ນ ນ ນ ນ ນ ນ ນ ນ ນ ນ	ry chemical, CO2, water s nsuitable extinguishing AUTION: All these produce pecific Hazards Arising ome may be transported by Iniform Fire Code azardous Combustion F arbon oxides. xplosion Data ensitivity to Mechanical	edia spray or regular foam. Use water spray or fog; do not use straight s <u>media</u> cts have a very low flash point. Use of water spray when fighting fin <u>from the Chemical</u> hot. Flammable Liquid: I-C <u>Products</u>	



Issuing Date: 1-Jun-2008

Revision Date: 27-Mar-2015

SDS Number: 9132

<u>Protective equipment and precautions for firefighters</u> Move containers from fire area if you can do it without risk.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Do not breathe vapor or mist. Keep people away from and upwind of spill/leak. See section 8 for more information. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other Information	Water spray may reduce vapor; but may not prevent ignition in closed spaces.
Environmental Precaution	ons de la constante de la const
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas.
Methods and material fo	r containment and cleaning up
Methods for Containmen	It A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.



Issuing Date: 1-Jun-2008	Revision Date: 27-Mar-2015	SDS Number: 9132
	7. Handling and Storage)
Precautions for safe hand	ling	
Handling Conditions for safe storage	Handle in accordance with good industrial hygiene and with skin, eyes or clothing. In case of insufficient ventilated equipment. Do not eat, drink or smoke when using this preventilation and wash before reuse. Do not breathe vapor of ventilation and in closed systems. Use personal protection heat/sparks/open flames/hot surfaces No smoking. Use connection when transferring this material to prevent state use spark-proof tools and explosion-proof equipment. K sprinklers. Use according to package label instructions.	tion, wear suitable respiratory product. Take off contaminated or mist. Use only with adequate ion equipment. Keep away from se grounding and bonding atic discharge, fire or explosion.
Storage	Keep containers tightly closed in a dry, cool and well-ve reach of children. Protect from moisture. Store away fro up. Keep away from heat, sparks, flame and other source electric motors and static electricity). Keep in properly la near combustible materials. Keep in an area equipped v accordance with the particular national regulations. Stor regulations.	m other materials. Store locked ces of ignition (i.e., pilot lights, abeled containers. Do not store with sprinklers. Store in
Incompatible Products	None known based on information supplied.	
-		

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Methyl alcohol	STEL = 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm	
67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm	
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m^3	
		(vacated) TWA: 260	STEL: 325 mg/m ³	
		mg/m ³	STEL: 250 ppm	
		(vacated) STEL: 250 ppm		
		(vacated) STEL: 325		
		mg/m ³		
		(vacated) S*		
ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health				

Other Exposure
GuidelinesVacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965
F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Page **6** of **15**



Issuing Date: 1-Jun-200	8 Revision Date: 27-Mar-2015	SDS Number: 9132
Appropriate engineering	controls	
Engineering Measures	Showers Eyewash stations Ventilation systems	
Individual protection me	asures, such as personal protective equipment	
Eye/Face Protection	None required for consumer use. If splashes are likely to occu with side shields (or goggles).	ır:. Wear safety glasses
Skin and Body Protectio	nNone required for consumer use. Repeated or prolonged cont gloves and protective clothing.	act:. Wear protective
Respiratory Protection	No protective equipment is needed under normal use conditio exceeded or irritation is experienced, ventilation and evacuation	•
Hygiene Measures	Handle in accordance with good industrial hygiene and safety eat, drink or smoke when using this product. Take off contami wash before reuse. Avoid contact with skin, eyes or clothing. A gloves and eye/face protection. No information available. Reg equipment, work area and clothing is recommended. Wash ha and immediately after handling the product. Do not breathe va Contaminated work clothing should not be allowed out of the v	nated clothing and Wear suitable ular cleaning of ands before breaks apor or mist.

9. Physical and Chemical Properties

Physical and Chemical Properties

Physical State Appearance Color	Liquid Liquid Orange	Odor Odor Threshold	Mild Alcohol No information available
Property	<u>Values</u>	Remarks Method	
bH	8.5	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range Flash Point	85 °C / 186 °F 28 °C / 84 °F	None known None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
/apor pressure	No data available	None known	
/apor density	No data available	None known	



Issuing Date: 1-Jun-2008	Revision Date:	27-Mar-2015	SDS Number: 9132	
Specific Gravity Water Solubility Solubility in other solvents	No data available Miscible in water No data available	None known None known None known		
Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing Properties	No data available No data available No data available No data available No data available No data available No data available	None known None known None known None known None known		
Other Information				
Softening Point VOC Content (%) Particle Size Particle Size Distribution	No data available No data available No data available			
-	10. Stability and R	eactivity)	
Reactivity				
No data available.				
<u>Chemical stability</u> Stable under recommended storage conc	litions.			
Possibility of Hazardous Reactions None under normal processing.				
Hazardous Polymerization Hazardous polymerization does not occu	r.			
<u>Conditions to avoid</u> Excessive heat. Heat, flames and sparks.				
Incompatible materials None known based on information suppli	ed.			
Hazardous Decomposition Products Carbon oxides.				
- 1'	11. Toxicological Information			
Information on likely routes of exposu	re			
Product Information .				
	Page 8 of 15			



Issuing Date: 1-Jun-2008	Revision Date: 27-Mar-2015	SDS Number: 9132
Inhalation	Specific test data for the substance or mixture is not available. Toxic (based on components).	c by inhalation.
Eye Contact	Specific test data for the substance or mixture is not available.	
Skin Contact	Specific test data for the substance or mixture is not available. Toxic with skin. May be absorbed through the skin in harmful amounts. (be components).	
Ingestion	Specific test data for the substance or mixture is not available. May swallowed. (based on components).	be harmful if

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl alcohol 67-56-1	= 5628 mg/kg (Rat)	-	= 83.2 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms	Coughing and/ or wheezing. Difficulty in breathing.				
Delayed and immediate	Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Sensitization	No information available.				
Mutagenic Effects	No information available.				
Carcinogenicity	Contains no ingredient listed as a carcinogen.				
Reproductive Toxicity	No information available.				
STOT - single exposure	Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. Detailed substance and/or ingredient information may be provided in other sections of this SDS. Target organs effects listed in this document may result from a single overexposure to this product. Causes damage to organs if swallowed. Causes damage to organs in contact with skin.				
STOT - repeated exposure	No information available.				
Chronic Toxicity	No known effect based on information supplied. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions.				
	Page 9 of 15				



Issuing Date: 1-Jun-2008

Safety Data Sheet

SDS Number: 9132

Target Organ Effects	Respiratory system. Systemic Toxicity. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Skin.		
Aspiration Hazard	No information available.		
Numerical measures of	Numerical measures of toxicity Product Information		
The following values are calculated based on chapter 3.1 of the GHS document			
ATEmix (oral)	323.00 mg/kg		
ATEmix (dermal) ATEmix (inhalation-dust	968.00 mg/kg (ATE)		
ATEmix (inhalation-vap			

Revision Date: 27-Mar-2015

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Methyl alcohol		96h LC50: = 28200 mg/L	EC50 = 39000 mg/L	
67-56-1		(Pimephales promelas) 96h	25 min	
		LC50: > 100 mg/L	EC50 = 40000 mg/L	
		(Pimephales promelas) 96h	15 min	
		LC50: 19500 - 20700 mg/L	EC50 = 43000 mg/L	
		(Oncorhynchus mykiss) 96h	5 min	
		LC50: 18 - 20 mL/L		
		(Oncorhynchus mykiss) 96h		
		LC50: 13500 - 17600 mg/L		
		(Lepomis macrochirus)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Methyl alcohol	-0.77
67-56-1	

Other adverse effects

No information available.

h



Issuing Date: 1-Jun-200	8	Revision Date	e: 27-Mar-2015	SDS Number: 91	32	
-	13. Disposal Considerations					
Waste treatment method	<u>ls</u>					
Disposal methods		ll, as supplied, (40 CFR 261).	is a hazardous waste ac	cording to federal		
Contaminated Packaging	g Dispose of c	contents/contai	iners in accordance with	local regulations.		
US EPA Waste Number	D001 U154					
Chemical Name	RCRA RCRA - Bas	is for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes		
Methyl alcohol		vaste stream:	RCRA - D Series Wasles	U154		
67-56-1		139		0134		
Codes This product contains one Chemical		hat are listed v	vith the State of Californi California Hazardous			
Methyl ald		-	Toxic	swaste		
67-56			Ignitable			
	14. 1	Fransport In	nformation)	
<u>DOT</u> Proper Shipping Name Hazard Class Description Emergency Response Guide Number	CONSUMER COMN ORM-D CONSUMER COMN 128		I-D			
TDGUN-No.UN1993Proper Shipping NameFLAMMABLE LIQUID, N.O.S.Hazard Class3Packing GroupIIIDescriptionUN1993, FLAMMABLE LIQUID, N.O.S. (METHYL ALCOHOL), 3, III						
MEXUN-No.UN1993Proper Shipping NameFLAMMABLE LIQUID, N.O.S.Hazard Class3Packing GroupIIIDescriptionUN1993 FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III						
		Page 11 o	of 15			



Issuing Date: 1-Jun-2008

Revision Date: 27-Mar-2015

SDS Number: 9132

<u>ICAO</u> UN-No.

<u>ICAO</u> UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III UN1993, FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III
<u>IATA</u> UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III UN1993, FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III
IMDG/IMO UN-No. Proper Shipping Name Hazard Class Packing Group EmS-No. Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F-E, S-E UN1993, FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III, FP 34C
<u>RID</u> UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F1 UN1993 FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III
<u>ADR</u> UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F1 UN1993 FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III
ADN UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Special Provisions Description Hazard Labels	UN1993 FLAMMABLE LIQUID, N.O.S. 3 III F1 274, 601, 640E UN1993 FLAMMABLE LIQUID, N.O.S.(METHYL ALCOHOL), 3, III 3

Page **12** of **15**



	Issuing Date: 1-Jun-20	08 Revision Date: 27-Mar-2015	SDS Number: 9132
	Limited Quantity Ventilation	5 L VE01	
-(15. Regulatory Information)—
	International Inventories		
	TSCA DSL	Complies All components are listed either on the DSL or NDSL.	
		Substances Control Act Section 8(b) Inventory estic Substances List/Non-Domestic Substances List	

US Federal

Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methyl alcohol - 67-56-1	67-56-1	30 - 50	1.0

SARA 311/312 Hazard

<u>Categories</u>	
Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No


CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Methyl alcohol 67-56-1	5000 lb		RQ= 2270 kg final RQ RQ= 5000 lb final RQ



h



Issuing Date: 1-Jun-2008

Revision Date: 27-Mar-2015

SDS Number: 9132

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Methyl alcohol - 67-56-1	Developmental	

US State Right-to-know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsyl vania	Rhode Island	Illinois
Methyl alcohol 67-56-1	Х	Х	Х	Х	Х

International

Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Methyl alcohol		Mexico: TWA= 200 ppm
67-56-1 (15 - 40)		Mexico: TWA= 260 mg/m ³
		Mexico: STEL= 250 ppm
		Mexico: STEL= 310 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class B2 - Flammable liquid D2A - Very toxic materials D2B - Toxic materials



16. Other Information
Page 14 of 15



Issuing Date: 1-Jun-2008		Revision Date: 27-Mar-2015		SDS Number: 9132	
NFPA	Health Hazards 3	Flammability 3	Instability 0	Physical and Chemical	
HMIS	Health Hazards 3 *	Flammability 3	Physical Hazard 0	Personal Protection X	

Prepared By:

Randy Boitz

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page **15** of **15**