

Issuing Date: 1-Jun-2012

Revision Date: 2-Oct-2015

SDS Number: 9187

1. Identification of the Substance / Preparation and of the Company / Undertaking Product identifier **Product Name** Shout Auto Aerosol Stock Number 704172 Other means of identification Synonyms None Recommended use of the chemical and restrictions on use **Recommended Use** Carpet & Upholstery Cleaner Uses advised against No information available Details of the supplier of the safety data sheet Supplier Name Highline Aftermarket Supplier Address 4500 Malone Road Memphis, TN 38118 US Phone: (901) 775-5555 **Supplier Phone Number** sds@highlineaftermarket.com **Emergency Telephone Number** CHEMTREC: (800) 424-9300 2. Hazards Identification **Physical hazards** Category 1 Flammable aerosols **Health hazards** Reproductive toxicity Category 1B Not classified. **Environmental hazards OSHA** defined hazards Not classified. Label elements Page **1** of **14**



Issuing Date: 1-Jun-2012	Revision Date: 2-Oct-2015	SDS Number: 9187
Signal word	Danger	
Hazard statement	Extremely flammable aerosol. May damage fertility or the unborn child.	
Precautionary statement	t	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions h understood. Keep away from heat/sparks/open flames/hot surfaces No smoking spray on an open flame or other ignition source. Pressurized container: Do not pie even after use. Wear protective gloves/protective clothing/eye protection/face pro	g. Do not erce or burn,
Response	If exposed or concerned: Get medical advice/attention.	
Storage	Store locked up. Protect from sunlight. Do not expose to temperatures exceeding	50°C/122°F.
Disposal	Dispose of contents/container in accordance with local/regional/national/internation	onal regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. Composition / Information on Ingredients

Mixtures

Chemical Name	CAS-No.	Weight percent
Butane	106-97-8	1 – 2.5
Propane	74-98-6	1 – 2.5
Sodium tetraborate decahydrate	1303-96-4	0.1 - 1

Other components below reportable levels

90 - 100

* Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.



suing Date: 1-Jun-2012	Revision Date: 2-Oct-2015 SDS Number: 9187	
4. First Aid Measures		
Inhalation	If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.	
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.	
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.	
Ingestion	In the unlikely event of swallowing contact a physician or poison control center.	
Most important symptoms/ effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.	
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.	
-	5. Fire-fighting Measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing Media	Do not use water jet as an extinguisher, as this will spread the fire.	
incula		
Specific hazards arising from	Contents under pressure. Pressurized container may explode when exposed to heat or flame.	
	Contents under pressure. Pressurized container may explode when exposed to heat or	
Specific hazards arising from the chemical Special protective equipment	Contents under pressure. Pressurized container may explode when exposed to heat or flame. Firefighters must use standard protective equipment including flame retardant coat, helmet	
Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire-fighting	Contents under pressure. Pressurized container may explode when exposed to heat or flame. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn	
Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire-fighting equipment/instructions	Contents under pressure. Pressurized container may explode when exposed to heat or flame. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or	



Issuing Date: 1-Jun-2012	Revision Date: 2-Oct-2015	SDS Number: 9187
_	6. Accidental Release Measures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and up Keep out of low areas. Wear appropriate protective equipment and c Do not touch damaged containers or spilled material unless wearing clothing. Ventilate closed spaces before entering them. Local authori significant spillages cannot be contained. For personal protection, se	lothing during clean-up. appropriate protective ties should be advised if
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Elim ignition sources (no smoking, flares, sparks, or flames in immediate a Keep combustibles (wood, paper, oil, etc.) away from spilled materia so without risk. Move the cylinder to a safe and open area if the leak plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entr basements or confined areas. Following product recovery, flush area	area). I. Stop leak if you can do is irreparable. Cover with y into waterways, sewer,
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Cle remove residual contamination. For waste disposal, see section 13 c	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
_	7. Handling and Storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety pread and understood. Pressurized container: Do not pierce or burn, e if spray button is missing or defective. Do not spray on a naked flame incandescent material. Do not smoke while using or until sprayed st Do not cut, weld, solder, drill, grind, or expose containers to heat, flat sources of ignition. All equipment used when handling the product m re-use empty containers. Use only in well-ventilated areas. Should be systems, if possible. Pregnant or breastfeeding women must not han appropriate personal protective equipment. Observe good industrial	even after use. Do not use e or any other urface is thoroughly dry. me, sparks, or other ust be grounded. Do not e handled in closed idle this product. Wear
Conditions for safe storage, including any incompatibilities	Level 1 Aerosol. Store locked up. Pressurized container. Protect from sunlight and do temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or store near an open flame, heat or other sources of ignition. This mate static charge which may cause spark and become an ignition source recommended. Store away from incompatible materials (see Section	crush. Do not handle or erial can accumulate . Refrigeration
_	8. Exposure Controls / Personal Protection)
4		
	Page 4 of 14	



.

suing Date: 1-Jun-2012	Revision Da	nte: 2-Oct-2015	SDS Number: 918
Occupational exposure limits			
US. OSHA Table Z-1 Limits for	Air Contaminants (29 CFR 1910	0.1000)	
Components	Туре	Value	
Propane (CAS 74-98-6)	PEL	1800 mg/m3 1000 ppm	
US. ACGIH Threshold Limit Val	ues		
Components	Туре	Value	Form
Butane (CAS 106-97-8) Sodium tetraborate decahydrate (CAS 1303-96-4)	STEL STEL	1000 ppm 6 mg/m3	Inhalable fraction.
1303-90-4)	TWA	2 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Ch Components	emical Hazards Type	Value	
Butane (CAS 106-97-8)	TWA	1900 mg/m3 800 ppm	
Propane (CAS 74-98-6)	TWA	1800 mg/m3 1000 ppm	
Sodium tetraborate decahydrate (CAS 1303-96-4)	TWA	5 mg/m3	
Biological limit values	No biological exposu	re limits noted for the ingredie	ent(s).
Appropriate engineering controls	Ventilation rates sho enclosures, local ext airborne levels below	tion (typically 10 air changes uld be matched to conditions. naust ventilation, or other enging recommended exposure liment a airborne levels to an accepta	If applicable, use process ineering controls to maintain its. If exposure limits have not been
Individual protection measures	, such as personal protective e	equipment	
Eye/face protection	Chemical respirator with organ	nic vapor cartridge and full fac	cepiece.
Hand protection	Wear appropriate chemical re	sistant gloves.	
	Page 5	of 14	



Issuing Date: 1-Jun-2012	Revision Date: 2-Oct-2015	SDS Number: 9187
Skin protection		
Other	Use of an impervious apron is recommended.	
Skin protection		
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	When using, do not eat, drink or smoke. Always observe good personal measures, such as washing after handling the material and before eating smoking. Routinely wash work clothing and protective equipment to rem	g, drinking, and/or

9. Physical and Chemical Properties

Appearance	
Physical state	Liquid.
Form	Aerosol.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	-156.0 °F (-104.4 °C) PROPELLANT estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.



Issuing	Date:	1-Jun-2012	
---------	-------	------------	--

Revision Date: 2-Oct-2015

SDS Number: 9187

Upper/lower flammability or explosive limits

Flammability lin (%)	nit – lower Not available.
Flammability lin (%)	nit – upper Not available.
Explosive limit	- lower (%) Not available.
Explosive limit	- upper (%) Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (wate	r) Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperatu	re Not available.
Decomposition tempera	ture Not available.
Viscosity	Not available.
Other information	
Specific gravity	0.947 estimated

-	10. Stability and Reactivity
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
	———— Page 7 of 14



Revision Date: 2-Oct-2015 SDS Number: 9187 Issuing Date: 1-Jun-2012 Hazardous decomposition No hazardous decomposition products are known. products **11. Toxicological Information** Information on likely routes of exposure Ingestion Expected to be a low ingestion hazard. Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation. Symptoms related to the Direct contact with eyes may cause temporary irritation. physical, chemical and toxicological characteristics Information on toxicological effects Acute toxicity **Species Test Results** Components Butane (CAS 106-97-8) Acute Inhalation Mouse 1237 mg/l, 120 Minutes LC50 52 %, 120 Minutes 1355 mg/l Rat Propane (CAS 74-98-6) Acute Inhalation LC50 Mouse 1237 mg/l, 120 Minutes 52 %, 120 Minutes Rat 1355 mg/l 658 mg/l/4h * Estimates for product may be based on additional component data not shown. Page **8** of **14**



Issuing Date: 1-Jun-2012	Revision Date: 2-Oct-2015	SDS Number: 9187
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye Irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components prese 0.1% are mutagenic or genotoxic.	nt at greater than
Carcinogenicity	This product is not considered to be a carcinogen by IARC, AC	GIH, NTP, or OSHA.
OSHA Specifically Regulated S Not listed.	ubstances (29 CFR 1910.1001-1050)	
Reproductive toxicity	May damage fertility or the unborn child.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
-	12. Ecological Information)
Ecotoxicity	The product is not classified as environmentally hazardous. Ho exclude the possibility that large or frequent spills can have a h effect on the environment.	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	No data available.	
Partition coefficient n-octanol / Butane Propane	2.89 2.36	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, creation potential, endocrine disruption, global warming potenti this component.	
_	Page 9 of 14	



Issuing Date: 1-Jun-2012	Revision Date: 2-Oct-2015 SDS Number: 918
-(13. Disposal Considerations
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused Products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.
-	14. Transport Information
Until 12/31/2020, the "Consumer C mark for packages of UN 1950 Ae	es) 2.1 2.1 Not applicable. user Read safety instructions, SDS and emergency procedures before handling. N82 306 None None requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond rosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 he "Consumer Commodity ORM-D" marking and both may be displayed concurrently. UN1950
	Page 10 of 14



Issuing Date: 1-Jun-2012

Revision Date: 2-Oct-2015

SDS Number: 9187

	Transport hazard class(es) Class Subsidiary risk Label(s) Packing group Environmental hazards ERG Code	2.1 - 2.1 Not applicable. No. 10L
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
	Other information	
	Passenger and cargo aircraft	Allowed.
	Cargo aircraft only Packaging Exceptions	Allowed. LTD QTY
IMDG		
	UN number	UN1950
	UN proper shipping name Transport hazard class(es)	AEROSOLS
	Class	2.1
	Subsidiary risk Label(s)	- None
	Packing group	Not applicable.
	Environmental hazards	
	Marine pollutant	No.
	EmS	F-D, S-U
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
	Packaging Exceptions ort in bulk according to II of MARPOL 73/78 and Code	LTD QTY Not applicable.
DOT		





Issuing Date: 1-Jun-2012	Revision Date: 2-Oct-2015		SDS Number: 9187	
IATA; IMDG				
▼	15.	Regulatory Informa	tion)
US federal regulations	Standard, 29 C	a "Hazardous Chemical" a FR 1910.1200. s are on the U.S. EPA TSC	as defined by the OSHA Ha	zard Communication
TSCA Section 12(b) Exp Not regulated. CERCLA Hazardous Sul Not listed. SARA 304 Emergency re Not regulated. OSHA Specifically Regu Not listed.	bstance List (40 elease notificati	OFR 302.4)	50)	
Superfund Amendments and Re Hazard categories	authorization A Immediate Haz Delayed Hazar Fire Hazard - Y Pressure Haza Reactivity Haz	zard - No d - Yes ⁄es rd - Yes		
SARA 302 Extremely hazardous	substance			
Chemical name CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower level	Threshold planning quantity, upper value
Anhydrous Ammonia : 7664-41-7	100	500 lbs		
SARA 311/312 Hazardous Chemical	No			
		Page 12 of 14		



suing Date: 1-Jun-2012	Revision Date: 2-Oct-2015	SDS Number: 918
SARA 313 (TRI reportin	yg) Not regulated.	
Other federal regulation	ns	
Clean Air Act (CAA) Se Not regulated.	ction 112 Hazardous Air Pollutants (HAPs) List	
Butane (CAS 10		
Propane (CAS Safe Drinking Water Ac (SDWA)		
US state regulations		
US. Massachusetts RT Butane (CAS 10 Propane (CAS	06-97-8)	
	r and Community Right-to-Know Act 06-97-8)	
US. Pennsylvania Work Butane (CAS 10 Propane (CAS	ter and Community Right-to-Know Law 06-97-8)	
US. Rhode Island RTK Butane (CAS 10 Propane (CAS 1	06-97-8)	
US. California Proposit California Safe		This material is not known to contain
International Inventorie	s	
Country(s) or region Australia	Inventory name Australian Inventory of Chemical Substances (AICS)	On inventory (yes/no)* Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (DSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines		No
	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	



Issuing Date: 1-Jun-2012

Revision Date: 2-Oct-2015

SDS Number: 9187

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

Prepared By:

Randy Boitz

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page **14** of **14**